

## Advantage

- Sport
- Multi
- Dress
- Fashion
- Unimold    Soft    Medium    Firm    HDP
- Biomold    Soft    Medium    Firm    HDP

## Specialty

- Diabetic
- Arthritic
- Pes Cavus
- Pes Planus
- Dynamic Runner
- Carbon Flex
- XT Sprint
- Cobra
- Other/Detail: \_\_\_\_\_



Date: \_\_\_\_\_

Clinic: \_\_\_\_\_

Clinician: \_\_\_\_\_

Patient: \_\_\_\_\_

Age: \_\_\_\_\_ Weight: \_\_\_\_\_ Height: \_\_\_\_\_

Dress    Casual    Sport    Boot   Size: \_\_\_\_\_

Office Use Only

O# \_\_\_\_\_

S# \_\_\_\_\_

DI: \_\_\_\_\_

C: \_\_\_\_\_

### USE FOR ADDITIONAL INSTRUCTIONS

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

### POSTING INSTRUCTIONS

- Post according to lab evaluation
- Calcaneal Vertical
- As Casted
- Orthotic Arch Aggressiveness
  - low    medium    high
- Post to these values:

**REARFOOT                  LEFT                  RIGHT**

Intrinsic \_\_\_°Varus/Valgus   \_\_\_°Varus/Valgus

Extrinsic \_\_\_°Varus/Valgus   \_\_\_°Varus/Valgus

**FOREFOOT                  LEFT                  RIGHT**

Intrinsic \_\_\_°Varus/Valgus   \_\_\_°Varus/Valgus

Extrinsic \_\_\_°Varus/Valgus   \_\_\_°Varus/Valgus

- Post to Metatarsals:       Left    Right
  - Post to Sulcus:             Left    Right
  - Forefoot Tip Post         Left    Right
- HEEL RAISE LT \_\_\_\_\_ (mm) RT \_\_\_\_\_ (mm)

### SHELL MODIFICATIONS

	LEFT	RIGHT
<input type="checkbox"/> Shallow Heel Seat	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/> Deep Heel Seat	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/> Lateral Clip	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/> Lateral Flange	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/> Medial Flange	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/> 1st Met Cut Out	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/> 1st Ray Cut Out	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/> Cut Orthosis Narrow	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/> Cut Orthosis Wide	<input type="checkbox"/>	<input type="checkbox"/>

### TOP COVERS

- 1.5mm    3mm
- Heel to:    Mets    Sulcus    Toes
- Neoprene
- VPhoam
- ETC
- Plastazote
- Vinyl with Poron
- Swirl Specify Colour(s)
- Other \_\_\_\_\_

### MIDLAYERS \*

- 1.5mm    3mm
- Heel to:    Mets    Sulcus    Toes
- Mets to:    Sulcus    Toes
- Poron
- XRD
- VPhoam
- Cushion Cork
- EVA
- Other \_\_\_\_\_

### BOTTOM COVERS

- 1.5mm    3mm
- Heel to:    Mets    Sulcus    Toes
- Mets to:    Sulcus    Toes
- Vinyl
- VPhoam
- PPT Plus
- Synthetic Suede
- Nyplex
- Other \_\_\_\_\_

### ADDITIONS

	<input type="checkbox"/> <b>2-4 Met Pads</b> <input type="checkbox"/> left <input type="checkbox"/> right		<input type="checkbox"/> <b>Met Bars</b> <input type="checkbox"/> left <input type="checkbox"/> right
	<input type="checkbox"/> <b>Neuroma Pads</b> <input type="checkbox"/> left <input type="checkbox"/> right <input type="checkbox"/> 2/3 <input type="checkbox"/> 3/4		<input type="checkbox"/> <b>Heel Cushions</b> <input type="checkbox"/> left <input type="checkbox"/> right
	<input type="checkbox"/> <b>Heel Spur Pads</b> <input type="checkbox"/> left <input type="checkbox"/> right		<input type="checkbox"/> <b>Scaphoid Pads</b> <input type="checkbox"/> left <input type="checkbox"/> right
	<input type="checkbox"/> <b>2-5 Extensions (3mm)</b> <input type="checkbox"/> left <input type="checkbox"/> right		<input type="checkbox"/> <b>Morton's Extensions</b> <input type="checkbox"/> left <input type="checkbox"/> right
	<input type="checkbox"/> <b>FHL Accomodations*</b> <input type="checkbox"/> left <input type="checkbox"/> right		<input type="checkbox"/> <b>Intrinsic Heel Cushions*</b> <input type="checkbox"/> left <input type="checkbox"/> right

\* additional cost applies

## biotech orthotic design inc.

69 Park Road, Unit 3, Elmsdale, NS B2S 2L3

Toll Free: 1-888-745-9055 • Local: 1-902-883-7521 • Fax: 1-902-883-7563

www.biotechorthotics.com • Email: biotech@biotechorthotics.com